

5110 Atlantic Ave. Raleigh, NC 27616 1-800-790-1635 | AmeriGlide.com

1. GENERAL INFORMATION

1.1 Customer Information

Contact Name	
Date (MM/DD/YY)	
Phone	
Email	


1.2 Project

Quote Reference # Job Name Location Notes


Standard Features

3 HP Winding Drum Drive System for two stops. 950lbs capacity, automatic LED cab lighting, automatic emergency cab lowering, automatic functionality, illuminated stainless steel car operating panel with digital position indicator, stainless steel call stations with digital position indicator, two electromechanical door locks, two LED pot lights, stainless steel handrail, 84" tall cab, concealed in-cabinet phone, and a sleek modern cab gate with optional operator.

2. Finished Hoistway Dimensions



7. CAB Dimension



10. Gate Finishes



(Standard)



Silver Frame

Clear Acrylic Clear Acrylic with Silver Frame with Black Frame (Standard) (Custom)

 \bigcirc

 \bigcirc

White with

Black Frame

(Standard)

○ REAR \bigcirc САВ RIGHT

*When facing cab at bottom landing


3. Rail Location

 \bigcirc

LEFT

8. CAB Configuration






VICTORIAN ELEVATOR

IMPORTANT

OVERHEAD: Minimum overhead requirement in residential builds is 106 inches. **PIT DEPTH:** Minimum depth requirement in residential builds is 10 inches.





5110 Atlantic Ave. Raleigh, NC 27616 1-800-790-1635 | AmeriGlide.com